
TECHSHEET AWE 00085 EndWalls



Official Supplier
of Aquatics and
Waterpolo
Equipment
to the 2000
Olympic
Games




© ANTI WAVE

2003

All Anti Wave

designs are
protected by patent
and intellectual
property legislation.
All rights reserved.



ANTI WAVE INTERNATIONAL Pty Ltd • ABN 83 311 005 308

Head Office 65 Twelfth Avenue St Lucia 4067 AUSTRALIA Tel +61 7 3371 6457 Fax +61 7 3371 4169

ANTI SPORT COMPANY


999 Fan Rong Road Ding Guo Jiang Do China 225235Tel+ 86 514 638 6999 Fax + 86 514 638 8843

AUSTRALIA • NEW ZEALAND • KOREA • CHINA • MALAYSIA • UNITED KINGDOM • UNITED STATES • SWITZERLAND • INDIA • JAPAN • POLAND


TECHSHEET AWE 00085 EndWalls



Official Supplier of Aquatics and Waterpolo Equipment to the 2000 Olympic Games



POSITION OF ANCHORS



ANTI WAVE INTERNATIONAL Pty Ltd • ABN 83 311 005 308

Head Office 65 Twelfth Avenue St Lucia 4067 AUSTRALIA Tel +61 7 3371 6457 Fax +61 7 3371 4169

ANTI SPORT COMPANY

999 Fan Rong Road Ding Guo Jiang Do China 225235Tel+ 86 514 638 6999 Fax + 86 514 638 8843


AUSTRALIA • NEW ZEALAND • KOREA • CHINA • MALAYSIA • UNITED KINGDOM • UNITED STATES • SWITZERLAND • INDIA • JAPAN • POLAND

TECHSHEET AWE 00085 EndWalls


General Guidelines for installation



Official Supplier of Aquatics and Waterpolo Waterpolo Equipment to the Sydney 2000 Olympic Games



1. Fit front leg extensions to pool face of EndWall using 4 bolt, nut, & washer sets for each extension.




2. Use completed unit to confirm position of deck holes in concourse.


© ANTI WAVE 2003 All Anti Wave designs are protected by patent and intellectual property legislation. All rights reserved.



the approximate positions of the deck holes. Remove these blocks and fix deck holes into precise position.

(See separate sheet for Deck hole installation.)





5. Remove Endwall sections to fit grating.

ANTI WAVE INTERNATIONAL Pty Ltd • ABN 83 311 005 308

Head Office 65 Twelfth Avenue St Lucia 4067 AUSTRALIA Tel +61 7 3371 6457 Fax +61 7 3371 4169


ANTI SPORT COMPANY

999 Fan Rong Road Ding Guo Jiang Do CHINA 225235Tel+ 86 514 638 6999 Fax + 86 514 638 8843 AUSTRALIA • NEW ZEALAND • KOREA • CHINA • MALAYSIA • UNITED KINGDOM • UNITED STATES • SWITZERLAND • INDIA • JAPAN • POLAND

TECHSHEET AWE 00085 EndWalls




Official Supplier of Aquatics and Waterpolo Waterpolo Equipment to the Sydney 2000 Olympic Games



6. Assemble grating elements into panels large enough to cover the front face of each EndWall. (Push pins of one element into sockets of next element).

> © ANTI WAVE 2003 All Anti Wave designs are protected by patent and intellectual property legislation. All rights reserved.




7. Screw grating panels to front of EndWall units.





8. Fit EndWall units into deck holes on concourse.



9. Confirm position of Dynaset anchors at rear of EndWall units.



10. Fit Dynasets according to manufacturer's instructions. (See separate sheet.)



11. Bolt down back of EndWall units into Dynaset anchors.

ANTI WAVE INTERNATIONAL Pty Ltd • ABN 83 311 005 308

Head Office 65 Twelfth Avenue St Lucia 4067 AUSTRALIA Tel +61 7 3371 6457 Fax +61 7 3371 4169

ANTI SPORT COMPANY

999 Fan Rong Road Ding Guo Jiang Do CHINA 225235Tel+ 86 514 638 6999 Fax + 86 514 638 8843 AUSTRALIA • NEW ZEALAND • KOREA • CHINA • MALAYSIA • UNITED KINGDOM • UNITED STATES • SWITZERLAND • INDIA • JAPAN • POLAND